



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|-----------------------|---------------------|------------------|
| 10/053,205 | 11/09/2001 | Joe Freeman Britt JR. | 04676.P012 | 5511 |

7590 12/02/2005
Thomas C. Webster
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
Seventh Floor
12400 Wilshire Boulevard
Los Angeles, CA 90025-1026

| |
|----------|
| EXAMINER |
|----------|

ROJAS, MIDYS

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

2185

DATE MAILED: 12/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | |
|------------------------------|------------------------|---------------------|--|
| Office Action Summary | Application No. | Applicant(s) | |
| | 10/053,205 | BRITT, JOE FREEMAN | |
| | Examiner | Art Unit | |
| | Midys Rojas | 2185 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 September 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 and 23-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-21 and 23-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 November 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 9/8/2005 have been fully considered but they are not persuasive.

Applicant argues that Landau does not teach maintaining a list of transactions between said server and said data processing device during operation of said data processing device. However, the difference file of Landau is generated and maintained during the operation of its manufacturing process's data processing device and the map represents the location of files during such manufacture operation ("during operation of said data processing device").

Applicant argues that Landau does not teach running an algorithm to construct said map in real-time using said list of transactions. However, Landau discloses running an algorithm ("difference comparison") to construct said map in real-time using said list of transactions, said algorithm being an algorithm executed on said data processing device (the device in control of the manufacturing process) to store program code (a collection of differences) within said plurality of non-volatile memory blocks (Column 3, lines 9-35). The map or difference file of Landau is constructed in real-time since it is generated as differences are found during the difference comparison.

Applicant argues that Landau does not describe the manufacturing processing tracking transactions between the manufacturing process and the target disk. However, the system of Landau tracks transactions between a master image and a target disk through the creation of a collection of differences. The collection of differences serves as a track of comparison transactions.

Applicant argues that Landau does not teach its process being repeated after the blocks of the disks have been checked once or in operation of these disks. However, the claimed invention as presented only requires the “continuous monitoring” of the device “during operation of the data processing device” (as detailed in claim 26) and so, the continuous comparison and creation of the difference file only has to continue during the operation of the processing device of the manufacturing process.

Applicant argues that Landau does not teach continuously monitoring. However, since this system continuously performs a difference comparison to avoid errors in manufacturing process, it is in fact continuously monitoring the system. Although the monitoring being done by Landau is done during the manufacturing process, it is done continuously during the manufacturing process until such process has been completed.

Applicant also argues that Landau does not disclose monitoring during the operation of said data processing device. However, the difference file of Landau is generated and maintained during the operation of its manufacturing process’s data processing device and the map represents the location of files during such manufacture operation (“during operation of said data processing device”).

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 19-20, 26 and 28-29 are rejected under 35 U.S.C. 102(e) as being anticipated by Landau (US 6,549,980).

Regarding Claim 19, Landau discloses a method comprising:

maintaining a program code map (“difference file”) on a sewer (Figure 2, disk 44, which is a separate disk and can be placed remote from the main system) indicating how program code is allocated among a plurality of non-volatile memory blocks on a data processing device (the difference file contains a collection of differences and the exacting locations and contents of related blocks that are different in the target disks from that in the reference disk);

using said program code map (“difference file”) to facilitate modifications to said program code on said data processing device. Since the difference file identifies errors, it is used to apply the differences to each block in the target disk, thus facilitating modifications (Column 3, lines 50-57). Additionally, since the difference file includes extracting locations and content information, location information is equivalent to allocation information and information on how the applications are stored in memory.

The difference file of Landau is generated and maintained during the operation of its manufacturing process’s data processing device and the map represents the location of files during such manufacture operation (“during operation of said data processing device”).

Landau also discloses running an algorithm (“difference comparison”) to construct said map in real-time using said list of transactions, said algorithm being an algorithm executed on said data processing device (the device in control of the manufacturing process) to store program code (a collection of differences) within said plurality of non-volatile memory blocks (Column 3,

Art Unit: 2185

lines 9-35). The map or difference file of Landau is constructed in real-time since it is generated as differences are found during the difference comparison.

Regarding Claims 26, Landau discloses a system comprising:

a server to transmit program code to a data processing device (“partitions mirrored by a server operating system”, Column 3, lines 3-8) and to monitor (1) which program code is stored on said data processing device (taking a master image, Column 3, lines 9-20) and (2) specific areas in a memory space in which said program code is stored on said data processing device (“extracting locations and contents of blocks...”, Column 3, lines 9-20), and to transfer additional program code to said data processing device along with storage location data indicating where in said memory said additional program code should be stored (using a difference file to identify errors and apply differences by transmitting difference data to each block in the target disk, thus facilitating modifications, see Column 3, lines 50-57). Since this system continuously performs a difference comparison to avoid errors in manufacturing process, it is in fact continuously monitoring the system. Although the monitoring being done by Landau is done during the manufacturing process, it is done continuously during the manufacturing process until such process has been completed.

Regarding Claim 20, Landau teaches calculating a collection of differences (“program code patches”) through the execution of a difference comparison between the target disk and the reference disk (Column 3, lines 9-20) and applying the collection of differences to each block of the target disk (“transmitting said program code patch”, Column 3, lines 50-57).

Regarding Claims 28 and 29, Landau teaches storing exacting locations of the blocks related to each calculated difference (“program patch”). Since the difference file being kept by

Art Unit: 2185

the system for the purpose of applying updates to the target disk contains information about more than one update or difference at a time, it contains storage locations data about one or more memory blocks (Column 3, lines 9-20).

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Computer Networks, by Larry L. Peterson and Bruce S. Davie (Peterson et al.) in view of Eidt et al. (6,219,830) and further in view of Landau (US 6,549,980).

Regarding Claim 1, Peterson et al. teaches a method for storing program code on a data processing device comprising:

splitting said program code into one or more blocks ("data packets"),

assigning each of said blocks a header ("individual header") containing a sequence number ("offset field") identifying which portion of said program code each of said blocks correspond to (see Figure 4.3).

Peterson discloses using packets in the transmission of data through a network where packets are placed in a special queue when they need low delays and where packets hop from router to router until a destination is reached. In this transmission process, the receiving end of each packet; a special queue or a router; stores the received data (Chapter 4, page 252, paragraph

Art Unit: 2185

1; and page 253 paragraph 1). However, Peterson does not disclose storing said one or more blocks of program code and said associated headers in locations of a non-volatile memory.

Eidt et al. discloses a memory array in which both the header section and data sections of an application program are stored in memory regions of the read-only portions of memory 106 (Column 9, lines 45-58, and Figure 3). Since memory 106 plays the role of main memory coupled to a CPU and a disk (Figure 1) it must be a non-volatile memory in order to prevent the system from losing imperative data during a power loss. It would have been obvious to one of ordinary skill in the art at the time the invention was made to allow the system of Peterson et al. to store the header information after the transfer completion in order to allow the system to identify the data sections to be allocated for access (see Column 9, line 62 – Column 10, line 2).

Peterson in view of Eidt does not disclose generating a map of the locations where said blocks of program code are stored in the non-volatile memory during operation of said data processing device.

Landau discloses maintaining a program code map (“difference file”) on a server (Figure 2, disk 44, which is a separate disk and can be placed remote from the main system) indicating how program code is allocated among a plurality of non-volatile memory blocks on a data processing device (the difference file contains a collection of differences and the exacting locations and contents of related blocks that are different in the target disks from that in the reference disk); and using said program code map (“difference file”) to facilitate modifications to said program code on said data processing device. Since the difference file identifies errors, it is used to apply the differences to each block in the target disk, thus facilitating modifications (Column 3, lines 9-57). Additionally, since the difference file includes extracting locations and

content information, location information is equivalent to allocation information and information on how the applications are stored in memory, thus representing a map. The difference file of Landau is generated during the operation of its manufacturing process's data processing device and the map represents the location of files during such manufacture operation.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the invention of Peterson in view of Eidt to include a the formation of a map as done by Landau thus giving the system a way to keep track of where information is located and which memory locations are free for future use.

Regarding Claim 2, Peterson et al. teaches using the offset field within the header of each packet to determine the order of the packet within the entire data stream in order to be able to reassemble the data stream at the receiving end of the network. The reconstructed code can then be processed by the receiving system in response to a request from a related application (Chapter 4, pages 253-256 and Figure 4.5).

Regarding Claim 3, Peterson et al. teaches headers including a checksum field ("error detection"), which is used to determine the validity of each transmitted packet (Chapter 4, page 253).

Regarding Claim 4, Peterson et al. teaches using CRC instead of a checksum as an error detection method, which computes over the bytes composing a packet and then appends to the packet by the network hardware. The CRC provides stronger error detection than a checksum (Glossary, page 678 and Chapter 2, pages 92-101).

Regarding Claim 5, Peterson et al. in view of Eidt et al. teaches the invention as set forth by Claim 1 above. Peterson et al. in view of Eidt et al. does not teach upgrading or modifying

Art Unit: 2185

the data that has already been transmitted and stored by replacing specified packets. Landau teaches calculating differences between data on the target disk and the reference disk, determining the exacting locations of the related blocks to each difference, and applying each difference (“modification” or “update”) to each corresponding block within the target disk (“upgrading program code” or “modifying a portion of said program code”, Column 3, lines 9-20 and 50-57). It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the updating capabilities of the system of Landau to the system of Peterson et al. in view of Eidt et al. since such capabilities would allow the system to apply updates to the data that has already been transferred without having to re-transmit the entire data stream. Adding these capabilities to the system of Peterson et al. in view of Eidt et al. would allow the system to perform updates at a faster rate since less data needs to be transmitted.

Regarding Claims 6 and 7, Peterson et al. teaches a cryptography algorithm where a public key is used to encrypt a message that is to be transmitted, and a private key is used to decrypt the message once it has been transmitted. In this algorithm, the verification of the public key through the use of a private key is analogous to the verification of a signature (Chapter 8, pages 570-572 and Chapter 8, page 588).

Regarding Claim 8, Peterson et al. in view of Eidt et al. teaches the invention as set forth by Claim 1 above. Peterson et al. also teaches using the offset field within the header of each packet to determine the order of the packet within the entire data stream in order to be able to reassemble the data stream at the receiving end of the network (Chapter 4, pages 253-256 and Figure 4.5). Peterson et al. in view of Eidt et al. does not teach upgrading or modifying the data that has already been transmitted and stored by replacing specified packets. Landau teaches

Art Unit: 2185

calculating differences between data on the target disk and the reference disk, determining the exacting locations of the related blocks to each difference, and applying each difference (“modification” or “update”) to each corresponding block within the target disk (“upgrading program code” or “modifying a portion of said program code”, Column 3, lines 9-20 and 50-57). Furthermore, Landau teaches loading the blocks of data from the target disk onto a master image (“volatile memory”), determining which data needs to be modified in the target disk by performing a difference comparison between partitions of the target disk and the master image, and repairing the image of the disk by writing the known differences over parts of the master image (“overwriting...said program code with said program code patch”) thus creating a difference file (Column 4, lines 7-17 and Column 3, lines 9-21). It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the updating capabilities of the system of Landau to the system of Peterson et al. in view of Eidt et al. since such capabilities would allow the system to apply updates to the data that has already been transferred without having to re-transmit the entire data stream. Adding these capabilities to the system of Peterson et al. in view of Eidt et al. would allow the system to perform updates at a faster rate since less data needs to be transmitted. It is understood that upon combining the inventions of Peterson et al. in view of Eidt et al. with that of Landau, the combined invention would also use the offset fields to identify the location of portions of program code.

Regarding Claim 9, Peterson et al. teaches headers including a checksum field (“error detection”), which is used to determine the validity of each transmitted packet (Chapter 4, page 253). It is understood that upon the transmission of update packets through Peterson’s system,

Art Unit: 2185

the checksum element would remain active and thus the validity of the update would be confirmed.

6. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Landau (US 6,549,980).

Regarding Claim 23, Landau does not teach the use of Flash memory as the non-volatile memory in the receiving end of the transmitting network. It would have been obvious to one of ordinary skill in the art at the time the invention was made to replace the ordinary disk in a receiving system for a Flash memory since it is very portable and thus, would be versatile if the receiving system is a portable computer or another portable device.

7. Claims 10-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Computer Networks, by Larry L. Peterson and Bruce S. Davie (Peterson et al.) and further in view of Landau (US 6,549,980).

Regarding Claim 10, Peterson et al. teaches the transmission of data through a network in which the data is divided into packets ("blocks") and each packet contains headers with offset information indicating the location of each packet within the data stream ("indication blocks in the processing device into which each application is to be stored").

Peterson et al. does not teach maintaining a list of data transactions on the processing device and using such list to construct a map of all applications stored on the processing device.

Landau teaches a computer system in which a collection of differences ("modifications") and the exacting locations and contents of related blocks ("program code map") that are different in the target disks from that in the reference disk are kept in a difference file (Column 3, lines 9-20). The difference file ("program code map") is used to apply the differences to each block in

the target disk ("facilitates modifications", Column 3, lines 50-57). Since the difference file identifies errors, it is used to apply the differences to each block in the target disk, thus facilitating modifications (Column 3, lines 50-57). Additionally, since the difference file includes extracting locations and content information, location information is equivalent to allocation information and information on how the applications are stored in memory, thus representing a map or list. The system of Landau continuously performs a difference comparison to avoid errors in manufacturing process; it is in fact continuously monitoring the system. Although the monitoring being done by Landau is done during the manufacturing process, it is done continuously during the manufacturing process until such process has been completed. In continuously performing the monitoring, the system is maintaining the map or list. The difference file of Landau is generated during the operation of its manufacturing process's data processing device and the map represents the location of files during such manufacture operation.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the updating capabilities of the system of Landau to the system of Peterson et al. since such capabilities would allow the system to apply updates to the data that has already been transferred without having to re-transmit the entire data stream. Adding these capabilities to the system of Peterson et al. would allow the system to perform updates at a faster rate since less data needs to be transmitted.

Claim 11 is rejected using the same rationale as that of claim 10, where in order to benefit from the updating capabilities of the system of Landau et al., the system would have to create the difference file prior to having any further interaction with the target disk, regardless of the

interactions being new transactions or for the application of updates; creating the difference file prior would prevent the reapplication of updates that were applied prior to the difference file (“generating map... prior to new transactions with data processing device”).

Claim 12 is rejected using the same rationale as that of claim 10 wherein the differences being applied can be patches to the disk.

Claim 13 is rejected using the same rationale as that of claim 10 wherein the differences being applied can be new downloads to the disk.

Claim 14 is rejected using the same rationale as that of claim 10 wherein the difference file includes extracting locations and content information, location information is equivalent to allocation information and information on how the applications are stored in memory, thus representing a map or list. This information represents an indication of where the patch should overwrite a portion of said application.

Regarding Claim 15, Peterson et al. teaches using the offset field within the header of each packet to determine the order of the packet within the entire data stream in order to be able to reassemble the data stream at the receiving end of the network (Chapter 4, pages 253-256 and Figure 4.5).

Regarding Claim 16, Landau teaches loading the blocks of data from the target disk onto a master image (“volatile memory”), determining which data needs to be modified in the target disk by performing a difference comparison between partitions of the target disk and the master image, and repairing the image of the disk by writing the known differences over parts of the master image (“overwriting...said program code with said program code patch”) thus creating a difference file (Column 4, lines 7-17 and Column 3, lines 9-21). Landau does not teach

identifying each portion of the program code with an offset. Peterson et al. teaches using the offset field within the header of each packet to determine the order of the packet within the entire data stream in order to be able to reassemble the data stream at the receiving end of the network (Chapter 4, pages 253-256 and Figure 4.5). It is understood that upon combining the inventions of Peterson et al. with that of Landau, the combined invention would also use the offset fields to identify the location of portions of program code.

Regarding Claim 17, Peterson et al. teaches headers including a checksum field ("error detection"), which is used to determine the validity of each transmitted packet (Chapter 4, page 253). It is understood that upon the transmission of update packets through Peterson's system, the checksum element would remain active and thus the validity of the update would be confirmed.

Regarding Claim 18, upon the transmission of update packets through Peterson's system, the offset field within the header is used for locating the portion that such update belongs to. In addition, in applying the patches or updates to the stored data ("storing blocks of program code containing program code patch to non-volatile memory"), the existing data must be replaced with the calculated difference ("patch"). See Column 3, lines 50-57.

8. Claims 21, 24-25, 27 and 30-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Landau (US 6,549,980) in view of Computer Networks, by Larry L. Peterson and Bruce S. Davie (Peterson et al.).

Regarding Claims 21 and 27, Landau teaches the invention as set forth by Claim 20 above. Landau does not teach designating the location of a difference through the use of an offset in memory. Peterson et al. teaches dividing data into packets for transmission and each

packet having a header including offset information, which designates the location of the packet within the data stream. It would have been obvious to one of ordinary skill in the art at time the invention was made to modify the system of Landau et al. to identify the location of each difference with an offset since such method allows for the location information to dependent upon the base address of the data stream. Therefore, if the data stream were to change its base address, the difference, which is being located through the use of an offset, would still be located in the correct place.

Regarding Claim 24, Landau teaches loading the blocks of data from the target disk onto a master image (“volatile memory”), determining which data needs to be modified in the target disk by performing a difference comparison between partitions of the target disk and the master image, and repairing the image of the disk by writing the known differences over parts of the master image (“overwriting...said program code with said program code patch”) thus creating a difference file (Column 4, lines 7-17 and Column 3, lines 9-21). Landau does not teach identifying each portion of the program code with an offset. Peterson et al. teaches using the offset field within the header of each packet to determine the order of the packet within the entire data stream in order to be able to reassemble the data stream at the receiving end of the network (Chapter 4, pages 253-256 and Figure 4.5). It is understood that upon combining the inventions of Peterson et al. with that of Landau, the combined invention would also use the offset fields to identify the location of portions of program code.

Regarding Claim 25, Peterson et al. teaches using CRC instead of a checksum as an error detection method, which computes over the bytes composing a packet and then appends to the

packet by the network hardware. The CRC provides stronger error detection than a checksum (Glossary, page 678 and Chapter 2, pages 92-101).

Regarding Claim 30, Landau teaches the invention as set forth by Claim 26 above. Landau does not teach using a wireless network for the transferring of program code. Peterson et al. teaches the use of a network for transferring files. It would have been obvious to one of ordinary skill in the art to modify the system of Landau to operate in the network environment of Peterson et al. since such modification would allow for updates to be transmitted from remote locations. It is understood that the network of Peterson et al. may be a wireless network since the protocols being disclosed by Peterson also apply in a wireless environment.

Regarding Claims 31-32, Landau teaches the invention as set forth by Claim 28 and 29 above. Landau does not teach using a CRC value to determine the validity of data. Peterson et al. teaches dividing data for transmission into packets having headers including a checksum field for error detection, which is used to determine the validity of each transmitted packet (Chapter 4, page 253). In addition, Peterson et al. teaches using CRC value instead of a checksum as an error detection method, which computes over the bytes composing a packet and then appends to the packet by the network hardware. The CRC provides stronger error detection than a checksum (Glossary, page 678 and Chapter 2, pages 92-101). It would have been obvious to one of ordinary skill in the art at the time the invention was made to equip the system of Landau with the error detection capabilities of Peterson et al. since such abilities would allow the system to prevent the storage of invalid data. Upon the transmission of update packets through Peterson's system, the error detection element would remain active and thus the validity of the update would be confirmed. In Peterson's system, all data transmitted is formatted into packets with

Art Unit: 2185

headers, and thus, the CRC code would be present even if the transmission is only an update transmission.

Regarding Claim 33, Landau teaches the invention as set forth by Claim 29 above. Landau does not teach updating an application signature usable to authenticate an application upgraded by a patch. Peterson et al. teaches a cryptography algorithm where a public key is used to encrypt a message that is to be transmitted, and a private key is used to decrypt the message once it has been transmitted. In this authentication algorithm, the verification of the public key through the use of a private key is analogous to the verification of a signature (Chapter 8, pages 570-572 and Chapter 8, page 588). It would have been obvious to one of ordinary skill in the art at the time the invention was made to revise the system of Landau by adding the authenticating abilities of Peterson et al. since such authentication would allow for this system to accept updates from difference sources and thus, authenticate the sources prior to applying the changes.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Midys Rojas whose telephone number is (571) 272-4207. The examiner can normally be reached on M-F 5:30am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mano Padmanabhan can be reached on (571) 272-4210. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Art Unit: 2185

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

November 27th, 2005


Midys Rojas
Examiner
Art Unit 2185

MR


11/28/05
MANO PADMANABHAN
SUPERVISORY PATENT EXAMINER